

SAFETY PRECAUTIONS

Operator protection:

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES (NEOPRENE OR NITRILE at least 0.5 mm thick) AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES (NEOPRENE OR NITRILE at least 0.5 mm thick), FACE PROTECTION (FACESHIELD) AND RUBBER BOOTS when applying through hand-held equipment.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH ALL PROTECTIVE CLOTHING thoroughly after use, especially the insides of gloves.

DO NOT APPLY by hand-held rotary atomiser equipment.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

WASH CONCENTRATE from skin or eyes immediately.

DO NOT BREATHE SPRAY.

WASH HANDS AND EXPOSED SKIN before meals and after work.

Consumer protection:

NOT TO BE USED ON FOOD CROPS.

Environmental protection:

DO NOT CONTAMINATE SURFACE WATERS OR DITCHES with chemical or used container.

AVOID DAMAGE BY DRIFT ONTO SUSCEPTIBLE CROPS OR WATER COURSES.

KEEP LIVESTOCK out of treated areas for at least 7 days and until foliage of any poisonous weeds such as ragwort has died and become unpalatable.

Storage and disposal:

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

WASH OUT CONTAINER THOROUGHLY, empty washings into spray tank, and dispose of safely.

DO NOT RE-USE CONTAINER for any purpose.

Dow AgroSciences GRAZON* 90

HERBICIDE

Product Registration Number: MAPP 13117 / PCS No. 90698.

An emulsifiable concentrate containing
240 g/litre triclopyr (acid equivalent) present as the butoxy ethyl ester
and 60 g/litre (5.5% w/w) clopyralid.

A foliar acting herbicide for the control of perennial broad-leaved
weeds including NETTLES, DOCKS, THISTLES, BRAMBLES, BROOM and
GORSE in ESTABLISHED GRASSLAND

The (COSHH) Control of Substances Hazardous to Health Regulations may
apply to the use of this product at work (UK only).

READ DIRECTIONS FOR USE ON ATTACHED LEAFLET.

PROTECT FROM FROST.

1L e

Dow AgroSciences Limited

Latchmore Court, Brand Street,

Hitchin, Hertfordshire. SG5 1NH.

Telephone: Hitchin (01462) 457272 Fax: (01462) 426605

24 Hour Emergency Telephone Number:

UK: +44 (0) 1553 761 251

RISK AND SAFETY INFORMATION



HARMFUL



DANGEROUS FOR
THE ENVIRONMENT

Flammable.

Harmful if swallowed.

Irritating to eyes, respiratory system and skin.

May cause sensitisation by skin contact.

Harmful: may cause lung damage if swallowed.

Vapours may cause drowsiness and dizziness.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Wear suitable gloves.

Avoid contact with skin.

Keep out of reach of children.

Keep away from food, drink and animal feeding stuffs.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

This material and its container must be disposed of in a safe way.

Use appropriate containment to avoid environmental contamination.

To avoid risks to man and the environment, comply with the instructions for use.

MAPP 13117 / PCS No. 90698

IMPORTANT INFORMATION

FOR USE ONLY AS AN AGRICULTURAL HERBICIDE

Crops/Situations: Established grassland

Maximum Individual Dose: 4.0 litres product per hectare

Maximum Number of Treatments: One per year

Other Specific Restrictions:

DO NOT APPLY through hand-held rotary atomiser equipment.

For use via spot guns, the maximum concentration must not exceed 6 ml product per litre of water.

For use via knapsack sprayer the maximum concentration must not exceed 16 ml product per litre of water.

Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence. Follow the Code of Practice for using Plant Protection Products.

*Trademark of Dow AgroSciences LLC.

0408

This label is compliant with the CPA Voluntary Initiative Guidance (UK only).



P 0 0 2 7 2 4 6 5 0 3



DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

WARNINGS

GRAZON* 90 residues in plant tissues which have not completely decayed may affect succeeding susceptible crops eg peas, beans and other legumes, carrots and Umbelliferae, potatoes and tomatoes, lettuce and other Compositae.

Do not plant susceptible autumn-sown crops (eg winter beans) in the same year as treatment with GRAZON 90. Where susceptible crops are to be planted in the spring do not apply GRAZON 90 later than the end of July of the previous year. Following good agricultural practice ensure that plant remains have completely decayed before planting susceptible crops.

Do not use any plant material treated with GRAZON 90 for composting or mulching.

Do not use manure from animals fed on crops treated with GRAZON 90 for composting.

All conifers, particularly pine and larch, are very sensitive to spray drift. In hot conditions vapour drift may occur.

AVOID DAMAGE BY DRIFT ONTO SUSCEPTIBLE CROPS OR WATERWAYS.

Do not apply directly to, or allow spray drift to come into contact with agricultural or horticultural crops, amenity plantings, gardens, ponds, lakes or watercourses.

NOTES

Grass and weeds must be actively growing to ensure good weed control and minimal check to the grass. Therefore do not spray in drought, very hot or very cold weather conditions.

Only use GRAZON 90 on permanent pasture or on leys that have been established for at least one year.

Do not apply the product overall where clover is an important constituent of the sward. Clover will be killed by application of GRAZON 90. Do not direct drill kale, swedes, turnip, grass or grass mixtures into the sward within six weeks of applying GRAZON 90.

Occasionally some yellowing of the sward is seen following treatment, this is quickly outgrown.

Thoroughly clean the sprayer after use.

PERENNIAL WEED CONTROL

WEEDS CONTROLLED, RATES OF USE AND TIMING OF APPLICATION

Weeds	Rates of use litres/ha	Optimum timing of application
Common nettle	2.0	Spray when actively growing but preferably before flowering (normally up to mid-June).
Dock (curled and broad-leaved)	4.0	Treat in the spring when the docks are in the rosette stage up to 25 cm high. If the grass has been cut for hay or silage or grazed leave for 2-3 weeks to allow sufficient re-growth to occur before spraying. On large well-established docks, or where there is a high reservoir of seed in the soil, a second dose the following year may be required.
Creeping thistle	3.0	Spray when actively growing but before flowering spikes are 15 cm high. For thistles beyond this stage the rate should be increased to 4.0 litres/ha. Applications of GRAZON* 90 at flowering or during seeding is likely to produce reduced levels of control. If grass has been cut for hay or silage treat 2-3 weeks after cutting when sufficient regrowth has occurred.
Bramble, broom and gorse	4.0	Spray in June-August when actively growing but before plants begin to senesce in the autumn. It is essential that, particularly with large bushes, all the foliage is thoroughly wetted or incomplete kill may result.

OVERALL APPLICATION

The timing of the application of GRAZON 90 herbicide is crucial. For good results the product must be applied to actively growing weeds.

Mixing

Fill the spray tank half full with water and add required amount of GRAZON 90 mixing well. Top up with water and continue agitation until the spray tank is full and while spraying. Use the spray immediately.

Spray Volume

For overall application GRAZON 90 should be used in a spray volume of 300 to 400 litres of water per hectare to give good coverage of the weeds.

Spray Quality

Apply as a MEDIUM quality spray as defined by the BCPC system.

SPOT TREATMENT

On grassland where weed populations are too low to justify overall spraying, and around the farm, all the above weeds will be controlled by a spot treatment of 60 ml GRAZON 90 per 10 litres of water using a suitable lance from a knapsack or tractor mounted sprayer. The weeds should be thoroughly wetted with the spray solution but spraying until "run-off" will decrease activity. The use of flood jets is recommended to prevent drift. Care should be taken to avoid local overdosing.

Dow AgroSciences Conditions of Supply

All goods supplied by us are of high grade and we believe them to be suitable but, as we cannot exercise control over their storage, handling, mixing or use, or the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded. No responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

SAFETY DATA SHEET

This safety data sheet does not form part of the label approved under the Control of Pesticide Regulations 1986. Following the instructions on the pesticide label for the specified uses should ensure that the product is used safely and efficaciously for those uses.

Product Name: **GRAZON* 90 HERBICIDE**

LV70: 104801

Issue Date: Oct. 06

Ref: PS044

Revised: New

2. COMPOSITION/INFORMATION ON INGREDIENTS

Dangerous components (see section 16 for complete R-phrases):

			CAS	EC No
Clopyralid	5.8 %	Xi; R41, N; R51/53	001702-17-6	216-935-4
Triclopyr-2-butoxyethyl ester	32.3 %	Xn,N; R22-43-50/53	064700-56-7	265-024-8
N-Methyl-2-pyrrolidone	<5 %	Xi; R36/38	000872-50-4	212-828-1
Calcium dodecylbenzenesulphonate	<5 %	C; R34	26264-06-2	247-557-8
Solvent naphtha (petroleum), heavy aromatic	<5%	Xn,N; R51/53-65-66	64742-94-5	265-198-5
Solvent naphtha (petroleum), light aromatic	40-50%	Xn,N; R10-37-51/53-65-66-67	64742-95-6	265-199-0
Composition Code	GF0223			

3. HAZARDS IDENTIFICATION

Flammable. Harmful if swallowed. Irritating to eyes, respiratory system and skin. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed. Vapours may cause drowsiness and dizziness.

4. FIRST-AID MEASURES

Never give fluids or induce vomiting if patient is unconscious or is having convulsions.

Ingestion

Do not induce vomiting. Call a physician and/or transport to emergency facility immediately. The decision of whether to induce vomiting or not should be made by a physician.

Eye Contact

Immediately flush eyes with water; remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes for at least 15 minutes. Obtain medical attention without delay, preferably from an ophthalmologist.

Skin Contact

Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Consult a physician if irritation persists. Wash contaminated clothing before re-use.

Inhalation

Remove to fresh air. Consult a physician.

Note to Physician

This material contains a mixture of solvents. No specific antidote. If lavage is performed, suggest endotracheal and/or oesophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. Supportive care. Treatment based on judgement of physician in response to symptoms of patient.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Water fog or fine spray. Carbon dioxide. Dry chemical fire extinguishers. Foam.

Hazardous Combustion Products

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

Protection of Firefighters

Wear protective clothing and use self-contained breathing apparatus.

Additional Information

Keep containers cool by spraying with water. Contain runoff to prevent entry into water or drainage systems.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear appropriate safety clothing and eye/face protection (see Section 8).

Environmental Precautions

Do not wash into sewers or into any body of water. Advise water authority if spillage has entered water course or drainage system.

Methods of Cleaning Up

Soak up with sand or other non-combustible absorbent material and place into containers for disposal. For large spills, barricade area and consult manufacturer. If further assistance is required, telephone the emergency contact number.

Additional Information

Eliminate all ignition sources.

7. HANDLING AND STORAGE

Handling

Use good personal hygiene. Do not consume or store food in the work area. Wash hands and exposed skin before eating, drinking or smoking and after work. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist.

Storage

Product should be stored in compliance with local regulations. Store in a cool, dry, well-ventilated place in the original container. Protect from excessive heat and cold. Do not store near food, drink, animal feeding stuffs, pharmaceuticals, cosmetics or fertilisers. Keep out of reach of children.

Additional Information

Containers, even those that have been emptied, can contain vapours. Do not cut, drill, grind, weld or perform similar operations on or near empty containers.

* Trademark of Dow AgroSciences

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Clopyralid: Dow AgroSciences IHG is 10 mg/m³.
Triclopyr butoxyethyl ester: Dow AgroSciences IHG is 2 mg/m³ (skin).

1-methyl-2-pyrrolidone: Time-Weighted Average (TWA) is 103 mg/m³ (25 ppm).
Short Term Exposure Limit (STEL) is 309 mg/m³ (75 ppm).
Can Be Absorbed Through Skin.

1-methyl-2-pyrrolidone: Irish skin designation (has capacity to penetrate intact skin on contact and be absorbed into the body). Irish 8-hour OEL Time-Weighted Average (TWA) is 101 mg/m³ (25 ppm).

Solvent naphtha (petroleum), light aromatic: Supplier recommendation for solvent is 19 ppm.

Engineering Controls

Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.

Respiratory Protection

When airborne exposure guidelines and/or comfort levels may be exceeded, use an approved air-purifying respirator.
For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Hand/Skin Protection

For brief contact, no precautions other than clean body-covering clothing and chemical resistant gloves should be needed. Use chemical resistant gloves classified under standard EN 374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Nitrile. Examples of acceptable glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene.

When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374) is recommended.

NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all requisite workplace factors

such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), as well as the instructions/specifications provided by the glove supplier.

When prolonged or frequently repeated contact could occur, use protective clothing impervious to this material.

For emergency conditions: Use protective clothing impervious to this material. Selection of specific items will depend on operation.

Eye/Face Protection

Use safety glasses. Where contact with the liquid is likely, chemical goggles are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: clear liquid
Colour	: yellow
Rel. density (water=1)	: 1.03 g/cm ³ (approx.)
Water solubility	: emulsifiable
Flash point	: 52 deg.C (PMCC)
pH	: 1.0 (neat)
Surface tension	: 30.5 mN/m (25 deg.C) (EEC A5 METHOD)
Kinematic viscosity	: 2.53 mm ² s ⁻¹ (40 deg.C)
Autoignition temperature	: >400 deg.C (EEC: A15 METHOD)
Explosive properties	: not explosive

10. STABILITY AND REACTIVITY

Chemical Stability

Is stable under normal storage conditions.

Conditions to Avoid

Avoid high temperatures (at or near flash point), open flame, sparks and direct sunlight.

Materials to Avoid

Strong basic, acidic or oxidising materials.

Hazardous Decomposition Products

None under normal conditions of storage and use.

11. TOXICOLOGICAL INFORMATION

Ingestion

Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. May cause central nervous system effects. LD₅₀, Rat 1,000 - 2,000 mg/kg

Skin Contact

Brief contact may cause slight skin irritation with local redness. May cause drying and flaking of the skin. Prolonged skin contact is unlikely to result in absorption of harmful amounts. The dermal LD₅₀ for rats is >5000 mg/kg.

Sensitisation

Has caused allergic skin reactions when tested in guinea pigs.

Eye Contact

May cause severe eye irritation. May cause slight corneal injury. Effects may be slow to heal.

Inhalation

May cause respiratory irritation and central nervous system depression. Symptoms may include headache, dizziness and drowsiness, progressing to incoordination and unconsciousness.

Additional Information

Not carcinogenic. Not mutagenic. Not toxic for reproduction.

12. ECOLOGICAL INFORMATION

Assessment largely or completely based on data for active ingredient.

Persistence and Degradability

Clopyralid:

The principle route of degradation is microbial and will occur readily. Half-life in soils is dependent on soil type and conditions and is approximately 12-62 days.

Triclopyr butoxyethyl ester:

Rapidly hydrolysed in soil and water (with a half-life of less than 1 day) to the parent acid, which undergoes further degradation.

Half-life of the parent acid in soil and water is dependent on conditions and is approximately 6-52 days.

Aquatic Toxicity

Based on data for the formulation.

Material is toxic to aquatic organisms (LC₅₀/EC₅₀/IC₅₀ between 1 and 10 mg/L in most sensitive species).

Avian Toxicity

Based on data for the formulation.

Material is slightly toxic to birds on an acute basis (500 mg/kg <LD₅₀ <2000 mg/kg).

13. DISPOSAL CONSIDERATIONS

Toxic to aquatic organisms. Do not contaminate ponds, waterways or ditches with chemical or used container. Wash out thoroughly. Container and washings must be disposed of safely and in accordance with applicable regulations. The preferred options are to send to licensed reclaimer or to permitted incinerators. Do not re-use container for any purpose.

14. TRANSPORT INFORMATION

Road & Rail

Proper shipping name : FLAMMABLE LIQUID, N.O.S.(Petroleum distillate and triclopyr)
Truck/Rail ADR/RID : 3 Label : 3
Classification Code : F1
Packing Group : III

Kemler Code : 30 UN Number: 1993
Tremcard Nr. CEFIC : 30GF1-III

Sea

Proper shipping name : FLAMMABLE LIQUID, N.O.S.(Petroleum distillate and triclopyr)
Sea - IMO/IMDG Class : 3 UN Nr : 1993 Label : 3
Packing Group : III EMS : F-E,S-E
Marine Pollutant : Y (Y/N)

Air

Proper shipping name : FLAMMABLE LIQUID, N.O.S.(Petroleum distillate and triclopyr)

Air-ICAO/IATA Class : 3 UN Nr : 1993 Label : 3
Sub Class :
Packing Group : III Pack Instr. Passenger : 309
Pack Instr. Cargo : 310

Remarks : Sample shipment not allowed by mail.

15. REGULATORY INFORMATION

Hazard Symbol : Xn - Harmful
N - Dangerous for the Environment

Risk Phrases : Flammable (R10).
Harmful if swallowed (R22).
Irritating to eyes, respiratory system and skin (R36/37/38).
May cause sensitisation by skin contact (R43).
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment (R51/53).
Harmful: may cause lung damage if swallowed (R65).
Vapours may cause drowsiness and dizziness (R67).

Safety Phrases : Avoid contact with skin (S24).
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice (S26).
This material and its container must be disposed of in a safe way (S35).
Wear suitable gloves (S37).
Use appropriate containment to avoid environmental contamination (S57).
If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label (S62).

Refer to the Product Label for full local Regulatory Authority label precautions.

16. OTHER INFORMATION

Risk-phrases in Section 2

R10 - Flammable.
R22 - Harmful if swallowed.
R34 - Causes burns.
R36/38 - Irritating to eyes and skin.
R37 - Irritating to respiratory system.
R41 - Risk of serious damage to eyes.

R43 - May cause sensitisation by skin contact.
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65 - Harmful: may cause lung damage if swallowed.
R66 - Repeated exposure may cause skin dryness or cracking.
R67 - Vapours may cause drowsiness and dizziness.

The information herein is given in good faith and to the best of our knowledge but no warranty, express or implied is made.

**THIS PAGE HAS BEEN LEFT
BLANK INTENTIONALLY**

SPECIMEN

**THIS PAGE HAS BEEN LEFT
BLANK INTENTIONALLY**

SPECIMEN

**THIS PAGE HAS BEEN LEFT
BLANK INTENTIONALLY**

SPECIMEN

SAFETY PRECAUTIONS

Operator protection:

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES (NEOPRENE OR NITRILE at least 0.5 mm thick) AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES (NEOPRENE OR NITRILE at least 0.5 mm thick), FACE PROTECTION (FACESHIELD) AND RUBBER BOOTS when applying through hand-held equipment.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH ALL PROTECTIVE CLOTHING thoroughly after use, especially the insides of gloves.

DO NOT APPLY by hand-held rotary atomiser equipment.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

WASH CONCENTRATE from skin or eyes immediately.

DO NOT BREATHE SPRAY.

WASH HANDS AND EXPOSED SKIN before meals and after work.

Consumer protection:

NOT TO BE USED ON FOOD CROPS.

Environmental protection:

DO NOT CONTAMINATE SURFACE WATERS OR DITCHES with chemical or used container.

AVOID DAMAGE BY DRIFT ONTO SUSCEPTIBLE CROPS OR WATER COURSES.

KEEP LIVESTOCK out of treated areas for at least 7 days and until foliage of any poisonous weeds such as ragwort has died and become unpalatable.

Storage and disposal:

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

WASH OUT CONTAINER THOROUGHLY, empty washings into spray tank, and dispose of safely.

DO NOT RE-USE CONTAINER for any purpose.

Dow AgroSciences GRAZON* 90

HERBICIDE

Product Registration Number: MAPP 13117 / PCS No. 90698.

An emulsifiable concentrate containing
240 g/litre triclopyr (acid equivalent) present as the butoxy ethyl ester
and 60 g/litre (5.5% w/w) clopyralid.

A foliar acting herbicide for the control of perennial broad-leaved
weeds including NETTLES, DOCKS, THISTLES, BRAMBLES, BROOM and
GORSE in ESTABLISHED GRASSLAND

The (COSHH) Control of Substances Hazardous to Health Regulations may
apply to the use of this product at work (UK only).

READ DIRECTIONS FOR USE ON ATTACHED LEAFLET.

PROTECT FROM FROST.

1L e

Dow AgroSciences Limited

Latchmore Court, Brand Street,
Hitchin, Hertfordshire. SG5 1NH.

Telephone: Hitchin (01462) 457272 Fax: (01462) 426605

24 Hour Emergency Telephone Number:

UK: +44 (0) 1553 761 251

RISK AND SAFETY INFORMATION



HARMFUL



DANGEROUS FOR
THE ENVIRONMENT

Flammable.

Harmful if swallowed.

Irritating to eyes, respiratory system and skin.

May cause sensitisation by skin contact.

Harmful; may cause lung damage if swallowed.

Vapours may cause drowsiness and dizziness.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Wear suitable gloves.

Avoid contact with skin.

Keep out of reach of children.

Keep away from food, drink and animal feeding stuffs.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

This material and its container must be disposed of in a safe way.

Use appropriate containment to avoid environmental contamination.

To avoid risks to man and the environment, comply with the instructions for use.

MAPP 13117 / PCS No. 90698

IMPORTANT INFORMATION

FOR USE ONLY AS AN AGRICULTURAL HERBICIDE

Crops/Situations: Established grassland

Maximum Individual Dose: 4,0 litres product per hectare

Maximum Number of Treatments: One per year

Other Specific Restrictions:

DO NOT APPLY through hand-held rotary atomiser equipment.

For use via spot guns, the maximum concentration must not exceed 6 ml product per litre of water.

For use via knapsack sprayer the maximum concentration must not exceed 16 ml product per litre of water.

Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence. Follow the Code of Practice for using Plant Protection Products.