

SAFETY PRECAUTIONS

Operator protection:

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES (NEOPRENE OR NITRILE at least 0.5 mm thick) AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES (NEOPRENE OR NITRILE at least 0.5 mm thick) AND RUBBER BOOTS when applying through a knapsack sprayer, spot gun or hand-held lance.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH ALL PROTECTIVE CLOTHING thoroughly after use, especially the insides of gloves.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

WASH CONCENTRATE from skin or eyes immediately.

DO NOT BREATHE SPRAY.

WASH HANDS AND EXPOSED SKIN before meals and after work.

Consumer protection:

NOT TO BE USED ON FOOD CROPS.

Environmental protection:

KEEP LIVESTOCK OUT of treated areas for at least 7 days following treatment and until poisonous weeds such as ragwort have died and become unpalatable.

DO NOT CONTAMINATE SURFACE WATERS OR DITCHES with chemical or used container.

Storage and disposal:

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP OUT OF REACH OF CHILDREN.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

WASH OUT CONTAINER THOROUGHLY, empty washings into spray tank, and dispose of safely.

DO NOT RE-USE CONTAINER for any purpose.

Dow AgroSciences PASTOR*

HERBICIDE

Product Registration Number: MAPP 11168

An emulsifiable concentrate containing 50 g/litre (5.0% w/w) clopyralid, 75 g/litre (7.53% w/w) fluroxypyr (present as 108 g/litre fluroxypyr as the 1-methyl heptyl ester) and 100 g/litre (10.04% w/w) triclopyr (present as 139 g/litre triclopyr as the butoxyethyl ester).

A foliar acting herbicide for the control of THISTLES, NETTLES and DOCKS in ESTABLISHED GRASSLAND and a range of annual broad-leaved weeds and seedling docks in GRASS LESS THAN ONE YEAR OLD.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

READ DIRECTIONS FOR USE ON ATTACHED LEAFLET.

PROTECT FROM FROST.

2 Litres e

Dow AgroSciences Limited

Latchmore Court, Brand Street,
Hitchin, Hertfordshire. SG5 1NH.

Telephone: Hitchin (01462) 457272 Fax: (01462) 426605

24 hour Emergency Telephone Number: +44 (0) 1553 761251



This label is compliant with the CPA Voluntary Initiative Guidance.



HARMFUL



DANGEROUS FOR THE ENVIRONMENT

HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED.

RISK OF SERIOUS DAMAGE TO EYES.

IRRITATING TO RESPIRATORY SYSTEM AND SKIN.

MAY CAUSE SENSITISATION BY SKIN CONTACT.

VAPOURS MAY CAUSE DROWSINESS OR DIZZINESS.

FLAMMABLE.

TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.

WEAR SUITABLE GLOVES AND EYE/FACE PROTECTION.

AVOID CONTACT WITH SKIN.

IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE.

IF SWALLOWED, do not induce vomiting; seek medical advice immediately and show this container or label.

THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE WAY.

USE APPROPRIATE CONTAINMENT TO AVOID ENVIRONMENTAL CONTAMINATION.

To avoid risks to man and the environment, comply with the instructions for use.

IMPORTANT INFORMATION

FOR USE ONLY AS AN AGRICULTURAL HERBICIDE

Crops/Situations:	Rotational grassland, permanent grassland
Maximum Individual Dose:	4.0 litres product per hectare
Maximum Number of Treatments:	4.0 litres product per hectare/annum
Latest Time of Application:	7 days before grazing or harvest
Other Specific Restrictions:	When using as a spot treatment the maximum concentration must not exceed 60 mls product per 10 litres water.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.



*Trademark of Dow AgroSciences LLC

9UKE 1107 PAS A

P 0 0 2 1 8 9 0 5 0 5



DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

GENERAL INFORMATION

PASTOR* is a foliar acting herbicide for the control of thistles, nettles and docks in established grassland and a range of annual broad-leaved weeds and seedling docks in grass less than one year old.

NOTES

Do not spray in drought, very hot or very cold weather.

Do not roll or harrow grass for 10 days before or 7 days after application.

To allow maximum translocation do not cut grass for 4 weeks after application.

Do not use on sports or amenity turf.

Do not apply PASTOR where clover is an important constituent of the sward. Clover will be killed or severely checked by PASTOR.

PASTOR is safe to grass. Very occasionally some yellowing of the sward may occur; this is transient and quickly outgrown.

Do not direct drill grass, grass mixtures, kale, swede or turnips into the sward within 6 weeks of applying PASTOR.

PASTOR residues in plant tissues (including manure) which have not completely decayed may affect succeeding susceptible crops eg peas, beans and other legumes, carrots and umbelliferae, potatoes and tomatoes, lettuce and other compositae.

Do not plant susceptible autumn-sown crops (eg winter beans) in the same year as treatment with PASTOR. Where susceptible crops are to be planted in the spring, do not apply PASTOR later than the end of July of the previous year. Following good agronomic practice ensure that plant remains have completely decayed before planting susceptible crops.

Do not use any plant material treated with PASTOR for composting or mulching.

Do not use manure from animals fed on crops treated with PASTOR for composting.

All conifers, particularly pine and larch, are very sensitive to spray drift. In hot conditions, vapour drift may occur.

Do not apply directly to, or allow spray drift to come into contact with agricultural or horticultural crops, amenity plantings or gardens, ponds, lakes or watercourses.

Wash out spray equipment thoroughly with water and detergent immediately after use.

Traces of PASTOR could cause harm to susceptible crops sprayed later.

ESTABLISHED GRASSLAND

PASTOR may be used in established grassland, which is under the non-rotational set-aside arrangements.

WEEDS CONTROLLED

Weed	Rate of Use litres/ha	Optimum stage of application
Common nettle	3.0	Actively growing but preferably before flowering
Curled dock Broad-leaved dock	4.0	At the rosette stage up to 250 mm tall or across
Curled dock Broad-leaved dock	2.0 + 2.0 Spring + Autumn	At the rosette stage up to 250 mm tall or across
Creeping thistle	4.0	At the rosette stage up to 250 mm tall or across
Spear thistle Perennial sow-thistle*	4.0	At the rosette stage up to 250 mm tall or across

*Moderately susceptible

*Trademark of Dow AgroSciences LLC

RATE OF USE

Apply PASTOR at 3.0 or 4.0 litres/ha in 300 to 400 litres of water as an overall treatment for the control of perennial broad-leaved weeds. Alternatively PASTOR may be applied in a programme of 2.0 litres/ha in the spring followed by a second application of 2.0 litres/ha in the autumn for the control of docks.

Use the higher volume of water where the weeds are large at the time of application and where the grass is dense.

TIMING

PASTOR may be applied at 3.0 or 4.0 litres/ha either in the spring or in the autumn depending on weeds present at application. Alternatively PASTOR may be applied in a programme of 2.0 litres/ha in the spring, followed by a second application of 2.0 litres/ha in the autumn for the control of docks.

Application timing is crucial for good control, and must be made when the weeds and grass are actively growing, to ensure good weed control and minimal check to the grass.

If the grass (and hence the weeds) has been cut or grazed, leave for 2 to 3 weeks to allow sufficient regrowth to occur before spraying. It is important that there is sufficient leaf area for the uptake of the herbicide, particularly on well-established docks and thistles which will have an extensive tap root but which early in the spring or soon after cutting may only have a few small leaves. On large well-established docks, and where there is a large reservoir of seed in the soil, a further control programme in the following year may be required.

GRASSLAND LESS THAN ONE YEAR OLD

PASTOR may be used in grassland less than one year old, which is under non-rotational set-aside arrangements.

WEEDS CONTROLLED

Weed	Rate of Use litres/ha	Optimum stage of application
Common chickweed	2.0	Actively growing 2 true leaves to 100 mm diameter
Mayweed spp	2.0	Actively growing 2 true leaves to 50 mm diameter
Fat-hen	2.0	Actively growing 2 true leaves to 6 true leaves
Black nightshade	2.0	Actively growing 2 true leaves to 6 true leaves
Seedling docks*	2.0	Actively growing 2 true leaves to 50 mm diameter

*Where there is a large reservoir of seedling docks in the soil, a further application in the following year may be required.

RATE OF USE

Apply PASTOR at a maximum rate of 2.0 litres/ha in 200 litres of water as an overall treatment for the control of annual broad-leaved weeds and seedling docks in grass less than one year old.

TIMING

PASTOR may be applied at 2.0 litres/ha to grass less than one year old. Application can be made from the third leaf visible stage.

Application timing is crucial for good control, and must be made when the weeds and grass are actively growing, to ensure good weed control and minimal check to the grass.

MIXING

Fill the spray tank half full with water and add the required amount of PASTOR. Continue filling with water and maintain agitation during filling and while spraying. Mix only sufficient spray volume for the area to be treated and use the spray immediately.

SPRAY QUALITY

Apply PASTOR as a MEDIUM spray as defined by the BCPC system.

Dow AgroSciences Conditions of Supply

All goods supplied by us are of high grade and we believe them to be suitable but, as we cannot exercise control over their storage, handling, mixing or use, or the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded. No responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

SAFETY DATA SHEET

This safety data sheet does not form part of the label approved under the Control of Pesticides Regulations 1986. Following the instructions on the pesticide label for the specified uses should ensure that the product is used safely and efficaciously for those uses.

Product Name: **PASTOR HERBICIDE**

LV70: 80485 Issue Date: Feb 02 Ref: BGE14
Revised: May 05 (Section(s) 14)

2. COMPOSITION/INFORMATION ON INGREDIENTS

Dangerous components (see section 16 for complete R-phrases):

			CAS	EC No
Triclopyr-2-butoxylethyl ester	139 g/L	Xn,N; R22-43-50/53	064700-56-7	265-024-8
Fluroxypyr 1-methylheptyl ester	108 g/L	R53	081406-37-3	279-752-9
Clopyralid	50 g/L	Xi,N; R41-51/53	1702-17-6	216-935-4
Aromatic hydrocarbon solvent	536 g/L	Xn,N; R10-37-51/53-65-66-67	64742-95-6	265-199-0
N-Methyl-2-pyrrolidone	50 g/L	Xi; R36/38	000872-50-4	212-828-1
Inert ingredients	Balance			
Composition Code	GF0818			

3. HAZARDS IDENTIFICATION

Flammable. Irritating to respiratory system and skin. Risk of serious damage to eyes. May cause sensitization by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed. Vapours may cause drowsiness and dizziness.

4. FIRST-AID MEASURES

Never give fluids or induce vomiting if patient is unconscious or is having convulsions.

Ingestion

Do not induce vomiting. Call a physician. The decision of whether to induce vomiting or not should be made by a physician.

Eye Contact

Immediately flush eyes with water; remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes for at least 15 minutes. Obtain medical attention without delay, preferably from an ophthalmologist.

Skin Contact

Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Consult a physician if irritation persists. Wash contaminated clothing before re-use.

Inhalation

Remove to fresh air. Consult a physician.

Note to Physician

This material contains a mixture of solvents. If lavage is performed, suggest endotracheal and/or oesophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. Supportive care. Treatment based on judgement of physician in response to symptoms of patient.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Water fog or fine spray. Carbon dioxide. Dry chemical fire extinguishers. Foam.

Hazardous Combustion Products

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

Protection of Firefighters

Wear protective clothing and use self-contained breathing apparatus.

Additional Information

Keep containers cool by spraying with water. Contain run-off to prevent entry into water or drainage systems.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Prevent skin and eye contact. Wear appropriate safety clothing and eye/face protection (see Section 8).

Environmental Precautions

Do not wash into sewers or into any body of water. Advise water authority if spillage has entered water course or drainage system.

Methods of Cleaning Up

Soak up with sand or other non-combustible absorbent material and place into containers for disposal. For large spills, barricade area and consult manufacturer. If further assistance is required, telephone the emergency contact number.

7. HANDLING AND STORAGE

Handling

Use good personal hygiene. Do not consume or store food in the work area. Wash hands and exposed skin before eating, drinking or smoking and after work. Avoid eye and skin contact.

Storage

Product should be stored in compliance with local regulations. Store in a cool, dry, well-ventilated place in the original container. Protect from excessive heat and cold. Do not store near food, drink, animal feeding stuffs, pharmaceuticals, cosmetics or fertilisers. Keep out of reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Triclopyr: Dow AgroSciences IHG is 2 mg/m³ (skin).
Fluroxypyr 1-methylheptyl ester: Dow AgroSciences IHG is 10 mg/m³.
Clopyralid: Dow AgroSciences IHG is 10 mg/m³.

Engineering Controls

Good general ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations.

Respiratory Protection

When airborne exposure guidelines and/or comfort levels may be exceeded, use an approved air-purifying respirator.

For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Hand/Skin Protection

For brief contact, no precautions other than clean body-covering clothing and chemical resistant gloves should be needed. When prolonged or frequently repeated contact could occur, use protective clothing impervious to this material.

For emergency conditions: Use protective clothing impervious to this material. Selection of specific items will depend on operation.

Eye/Face Protection

Use chemical goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: amber
Odour	: faint aromatic
Rel. density (water=1)	: 1.001 g/cm ³ (20 deg.C)
Water solubility	: emulsifiable
Flash point	: 50 deg.C (PMCC)
Explosive properties	: not explosive
Surface tension	: 30.2 mN/m (25 deg.C)
Self-ignition temperature	: 430 deg.C

10. STABILITY AND REACTIVITY

Chemical Stability

Is stable under normal storage conditions.

Conditions to Avoid

Avoid high temperatures (at or near flash point), open flame, sparks and direct sunlight.

Materials to Avoid

None known.

Hazardous Decomposition Products

None under normal conditions of storage and use.

11. TOXICOLOGICAL INFORMATION

Based on data for similar formulation.

Ingestion

Low toxicity if swallowed.
The oral LD₅₀ for rats is >2000 mg/kg.

Skin Contact

The dermal LD₅₀ for rats is > 5000 mg/kg. Prolonged skin contact is unlikely to result in absorption of harmful amounts. Short single exposure may cause skin irritation.

Sensitisation

Sensitising to guinea pig skin.

Eye Contact

May cause moderate and prolonged irritation with corneal injury.

Inhalation

No adverse effects anticipated by this route of exposure incidental to proper handling.

Additional Information

Not carcinogenic. Not mutagenic. Not toxic for reproduction.

12. ECOLOGICAL INFORMATION

Persistence and Degradability

Assessment largely or completely based on data for active ingredient.

Triclopyr butoxyethyl ester:

Rapidly hydrolysed in soil and water (with a half-life of less than 1 day) to the parent acid, which undergoes further degradation. Half-life of the parent acid in soil is dependent on conditions and is approximately 6-52 days.

Fluroxypyr 1-methylheptyl ester:

Rapidly hydrolysed in soil and water (with a half-life of less than 1 day) to the parent acid, which undergoes further degradation. Half-life of the parent acid in soil and water is dependent on conditions and is approximately 14-56 days.

Clopyralid:

Half-life in soils is dependent on soil type and conditions and is approximately 12-62 days.

Aquatic Toxicity

Based on data for similar formulation.

Material is toxic to fish on an acute basis (1 mg/L <LC₅₀ <10 mg/L).

Material is toxic to aquatic invertebrates on an acute basis (1 mg/L <EC₅₀ < 10 mg/L).

Material is harmful to algae (10 mg/l < IC₅₀ < 100 mg/l).

Avian Toxicity

Assessment largely or completely based on data for active ingredient.

Triclopyr butoxyethyl ester:

Material is practically non-toxic to birds on an acute basis (LD₅₀ >2000 mg/kg).

Fluroxypyr 1-methylheptyl ester:

Material is practically non-toxic to birds on an acute basis (LD₅₀ >2000 mg/kg).

Clopyralid:

Material is slightly toxic to birds on an acute basis (500 mg/kg <LD₅₀< 2000 mg/kg).

Other Information

Assessment largely or completely based on data for active ingredient.

Triclopyr butoxyethyl ester: Non-toxic to bees.

Clopyralid: Non-toxic to bees.

13. DISPOSAL CONSIDERATIONS

Toxic to aquatic organisms. Do not contaminate ponds, waterways or ditches with chemical or used container. Wash out thoroughly. Container and washings must be disposed of safely and in accordance with applicable regulations. The preferred options are to send to licensed reclaimer or to permitted incinerators. Do not re-use container for any purpose.

14. TRANSPORT INFORMATION

Road & Rail

Proper shipping name : FLAMMABLE LIQUID, N.O.S. (Aromatic Hydrocarbon)
(Non Viscous)

Truck/Rail ADR/RID : 3

Classification Code : F1

Packing Group : III

Label : 3

Kemler Code : 30

UN Number

: 1993

Tremcard Nr. CEFIC : 30GF1-III

Sea

Proper shipping name : FLAMMABLE LIQUID, N.O.S. (Aromatic Hydrocarbon)

Sea - IMO/IMDG Class : 3 UN Nr : 1993 Label : 3

Packing Group : III EMS : F-E, S-E

Marine Pollutant : Y (Y/N)

Air

Proper shipping name : FLAMMABLE LIQUID, N.O.S. (Aromatic Hydrocarbon)

Air-ICAO/IATA Class : 3 UN Nr : 1993 Label : 3

Sub Class :

Packing Group : III Pack Instr. Passenger : 309

Pack Instr. Cargo : 310

Remarks

: Sample shipment not allowed by mail.

15. REGULATORY INFORMATION

Hazard Symbol :

Xn - Harmful

N - Dangerous for the Environment

Risk Phrases :

Flammable (R10).

Irritating to respiratory system and skin (R37/38).

Risk of serious damage to eyes (R41).

May cause sensitisation by skin contact (R43).

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment (R51/53).
Harmful: may cause lung damage if swallowed (R65).
Vapours may cause drowsiness and dizziness (R67).

Safety Phrases :

Avoid contact with skin (S24).

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice (S26).

This material and its container must be disposed of in a safe way (S35).

Wear suitable gloves and eye/face protection (S37/39).

Use appropriate containment to avoid environmental contamination (S57).

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label (S62).

Refer to the Product Label for full local Regulatory Authority label precautions.

16. OTHER INFORMATION

Risk-phrases in Section 2

R10 - Flammable.

R22 - Harmful if swallowed.

R36/38 - Irritating to eyes and skin.

R37 - Irritating to respiratory system.

R41 - Risk of serious damage to eyes.

R43 - May cause sensitisation by skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R53 - May cause long-term adverse effects in the aquatic environment.

R65 - Harmful: may cause lung damage if swallowed.

R66 - Repeated exposure may cause skin dryness or cracking.

R67 - Vapours may cause drowsiness and dizziness.

The information herein is given in good faith and to the best of our knowledge but no warranty, express or implied, is made.

SAFETY PRECAUTIONS

Operator protection:

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES (NEOPRENE OR NITRILE at least 0.5 mm thick) AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES (NEOPRENE OR NITRILE at least 0.5 mm thick) AND RUBBER BOOTS when applying through a knapsack sprayer, spot gun or hand-held lance.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH ALL PROTECTIVE CLOTHING thoroughly after use, especially the insides of gloves.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

WASH CONCENTRATE from skin or eyes immediately.

DO NOT BREATHE SPRAY.

WASH HANDS AND EXPOSED SKIN before meals and after work.

Consumer protection:

NOT TO BE USED ON FOOD CROPS.

Environmental protection:

KEEP LIVESTOCK OUT of treated areas for at least 7 days following treatment and until poisonous weeds such as ragwort have died and become unpalatable.

DO NOT CONTAMINATE SURFACE WATERS OR DITCHES with chemical or used container.

Storage and disposal:

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP OUT OF REACH OF CHILDREN.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

WASH OUT CONTAINER THOROUGHLY, empty washings into spray tank, and dispose of safely.

DO NOT RE-USE CONTAINER for any purpose.

Dow AgroSciences **PASTOR***

HERBICIDE

Product Registration Number: MAPP 11168

An emulsifiable concentrate containing 50 g/litre (5.0% w/w) clopyralid, 75 g/litre (7.53% w/w) fluroxypyr (present as 108 g/litre fluroxypyr as the 1-methyl heptyl ester) and 100 g/litre (10.04% w/w) triclopyr (present as 139 g/litre triclopyr as the butoxyethyl ester).

A foliar acting herbicide for the control of THISTLES, NETTLES and DOCKS in ESTABLISHED GRASSLAND and a range of annual broad-leaved weeds and seedling docks in GRASS LESS THAN ONE YEAR OLD.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

READ DIRECTIONS FOR USE ON ATTACHED LEAFLET.

PROTECT FROM FROST.

2 Litres e



Dow AgroSciences Limited

Latchmore Court, Brand Street,
Hitchin, Hertfordshire. SG5 1NH.

Telephone: Hitchin (01462) 457272 Fax: (01462) 426605

24 hour Emergency Telephone Number: +44 (0) 1553 761251



This label is compliant with the CPA Voluntary Initiative Guidance.



HARMFUL



DANGEROUS FOR THE ENVIRONMENT

HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED.

RISK OF SERIOUS DAMAGE TO EYES.

IRRITATING TO RESPIRATORY SYSTEM AND SKIN.

MAY CAUSE SENSITISATION BY SKIN CONTACT.

VAPOURS MAY CAUSE DROWSINESS OR DIZZINESS.

FLAMMABLE.

TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.

WEAR SUITABLE GLOVES AND EYE/FACE PROTECTION.

AVOID CONTACT WITH SKIN.

IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE.

IF SWALLOWED, do not induce vomiting: seek medical advice immediately and show this container or label.

THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE WAY.

USE APPROPRIATE CONTAINMENT TO AVOID ENVIRONMENTAL CONTAMINATION.

To avoid risks to man and the environment, comply with the instructions for use.

IMPORTANT INFORMATION

FOR USE ONLY AS AN AGRICULTURAL HERBICIDE

Crops/Situations:	Rotational grassland, permanent grassland
Maximum Individual Dose:	4.0 litres product per hectare
Maximum Number of Treatments:	4.0 litres product per hectare/annum
Latest Time of Application:	7 days before grazing or harvest
Other Specific Restrictions:	When using as a spot treatment the maximum concentration must not exceed 60 mls product per 10 litres water.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

*Trademark of Dow AgroSciences LLC

9UKE 1107 PAS A