



AmenityTechnology

MATERIAL SAFETY DATA SHEET

Date of issue: 10.10.08

(Supercedes all previous issues)

1 IDENTIFICATION OF THE PRODUCT AND THE COMPANY

1/2

PRODUCT NAME AND BRAND: BALLISTIC

SUPPLIER : Amenity Technology Ltd.
ADDRESS : COACHGAP LANE, LANGAR, NOTTS. NG13 9HP
CONTACT Nos : Daytime 08700480304 Other times 07917246873

2 COMPOSITION. INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS No.	CONTENTS	HAZARD	SAFETY	RISK
MonoPropylene Glycol Surfactant	90170-43-7	10%w/w	Xi	S 25	R 36

3 HAZARDS IDENTIFICATION

FIRE HAZARD : Non-combustible. However Dried Latex will burn producing Carbon monoxide accompanied by thick black smoke
IRRITANCY : May cause irritation on contact with eyes

4 FIRST AID MEASURES

EYES :Contact with eyes may cause IRRITATION. If symptoms persist seek medical aid.
Irrigate with copious amounts of EYEWASH or clean water for 10 minutes minimum.
SKIN :Contact with skin may cause IRRITATION. If symptoms persist seek medical aid.
Wash immediately with soap and rinse with copious amounts of water. Remove contaminated clothing.
INHALATION :May cause dizziness or headache. Remove to fresh air.
INGESTION :May cause systemic damage and gastro-intestinal IRRITATION.
Do not induce vomiting. Give copious amounts of water to drink.
If vomiting occurs place patient in the recovery position. Seek medical aid.

5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA :Water, carbon dioxide, or dry powder.
SPECIAL FIRE FIGHTING :Wear self contained breathing apparatus.
PROCEDURES
HAZARDS ON DECOMPOSITION : Dried latex will burn producing carbon monoxide gas and thick black smoke.

6 ACCIDENTAL RELEASE MEASURES

PRECAUTIONS :Avoid contact with skin and eyes
SPILLAGE :Dilute and flush to drain with copious amounts of water.
Evacuate area. Absorb and contain spillage with sand or earth. Place waste in sealed containers.
Contact Local Authority for controlled waste disposal.
Notify Water Authority if large spillage enters drains or sewers.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS : Wear full overall protective clothing, PVC or rubber Gloves and Boots.
: If exposed to high vapour concentration in a confined area, wear self contained breathing apparatus. In well ventilated areas, wear fume mask.
STORAGE PRECAUTIONS : Keep sealed in original containers. Store in frost-free conditions above 2°C.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

2/2

ENGINEERING CONTROLS : Apply COSHH assessment according to standard (OES) EH 40/94
EXPOSURE LIMITS : Not known
PROTECTIVE EQUIPMENT : Wear full protective overall clothing.
HANDS AND FEET : Wear PVC or rubber gloves and Boots
EYES AND FACE : Wear Face shield or goggles to BS 2092
RESPIRATION : Wear self contained breathing apparatus in confined conditions or Fume mask to BS 2091.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Milky white solution
SPECIFIC GRAVITY : 1.01 @ 15°C
pH : 7.6 : (1:100 solution)
ODOUR : Slight rubbery smell
SOLUBILITY : Complete in water

10 STABILITY AND REACTIVITY

STABILITY : Stable in normal ambient conditions.
MATERIALS TO AVOID : None known
HAZARDOUS DECOMPOSITION : Decomposed on burning releasing Carbon monoxide

11 TOXICOLOGICAL INFORMATION

Excessive exposure may cause IRRITATION to Eyes.
Symptoms may be Redness of Eyes.

12 ECOLOGICAL INFORMATION

PRECAUTIONS : Advise relevant authorities immediately if water sources and soil is contaminated.
DEGRADABILITY : Slowly biodegradable
AQUATIC TOXICITY : Not toxic to aqueous environment at low concentrations

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS : Product requires controlled waste disposal in accordance with CONTROL OF POLLUTION ACT 1974 and SPECIAL WASTE REGULATIONS 1980.
PACKAGING : Do not re-use packaging for any other purpose.
Dispose of used packaging in accordance with SPECIAL WASTE REGULATIONS 1980.

14 TRANSPORT INFORMATION

TRANSPORT : MATERIAL IS NOT CLASSIFIED AS HAZARDOUS OR DANGEROUS FOR TRANSPORT ACCORDING TO CURRENT INTERNATIONAL REGULATIONS.

LAND-ROAD-RAIL	(RID/ADR):	UN No.	
SEA	(IMO/IMG):		
AIR	(ICAO/IATA):	Item No.	
			Hazard No.
			Hazchem Code:
			Packaging Group:
			Tremcard No.
			Marine:

15 REGULATORY INFORMATION

LABELLING EEC REGULATIONS: MATERIAL IS CLASSIFIED BY CHIP REGULATIONS FOR SUPPLY AS FOLLOWS;

MANDATORY HAZARD SYMBOL: Xi
RISK PHRASES: R 36 IRRITATING TO EYES
SAFETY PHRASES: S 25 AVOID CONTACT WITH EYES

16 OTHER INFORMATION

VALIDITY

The information contained herein relates only to the designated formulation and may not be valid if product is used in combination with other substances. The information is to the best of our knowledge, belief and understanding, true, accurate and reliable at the date of issue. However, the information may neither be exhaustive or complete, and no warranty, guarantee or liability concerning the accuracy or completeness of the information is expressed or implied.
It is the users risk and sole responsibility to verify and satisfy their own criteria and duty of care concerning the validity of the information in relation to their application of the product.

SUPPLIER : Amenity Technology Ltd.
ADDRESS : COACHGAP LANE, LANGAR, NOTTS. NG13 9HP
CONTACT Nos : Daytime 08700480304 Other times 07917246873