


GETTING THE BEST FROM ACELEPRYN

YOUR 7 POINT PLAN FOR APPLICATION



1 Apply preventatively. Acelepryn is only effective on 1st and 2nd instar. Larger grubs / larvae will not be controlled.



2 Chafers: Apply once peak flight has been observed (typically June).
Leatherjackets: Adult crane fly activity may not peak until mid-October. Always check peak flight has occurred for application timing.

Sites with historic high pressure have increased probability of re-infestation.

Follow reports of adult activity and record sightings on PestTracker at:

www.syngentaturf.co.uk/turf-pest-tracker



3 Mow prior to application.



4 Apply at 0.6L/ha, in 500-600 litres of water, using a Syngenta XC soil nozzle or suitable air induction 08 nozzle between 2-4 bar pressure.



5 Ensure the soil profile is not hydrophobic at the time of application. Syngenta wetting agent Qualibra is compatible with Acelepryn for convenient application in tank-mix or sequence.



6 Keep surfaces irrigated where possible, to attract pest larvae to towards the surface.



7 Delay mowing for as long as possible and return the clippings if feasible.

USE ACELEPRYN AS PART OF A FULL INTEGRATED TURF MANAGEMENT STRATEGY, THIS CAN INCLUDE NEMATRIDENT BENEFICIAL NEMATODES

HIGH AND MIXED POPULATIONS WILL NEED A LONG TERM PROGRAMMED APPROACH

Follow [#PestTracker](#) for timing information support and [@SyngentaTurfUK](#) for turf management advice.
For technical support contact Sean Loakes on sean.loakes@syngenta.com or 07831 161972.

Syngenta UK Ltd. Registered in England No. 849037. CPC4, Capital Park, Fulbourn, Cambridge CB21 5XE. Email: customer.services@syngenta.com.

Acelepryn® and Qualibra® are Registered Trademarks of a Syngenta Group Company. Acelepryn contains chlorantraniliprole. (MAPP 20149, PCS 06290). All other brand names used are trademarks of other manufacturers in which proprietary rights may exist. Use plant protection products safely. Always read the label and product information before use. For further product information including warning phrases and symbols refer to www.syngentaturf.co.uk ©Syngenta AG May 2023. GQ 12670.

ICL Distributed in the UK and Ireland by ICL Ltd. Tel: 01473 201100 Email: prof.sales@icl-group.com Web: www.icl-sf.co.uk.

 **Acelepryn®**

syngenta®