Protector Natural Insect Killer

STATUTORY CONDITIONS RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE

FOR AMATEUR AND PROFESSIONAL USE.

Application rate:

Application rate: Surface Spray: Spray from a distance of 30 cm for 4-6 seconds per 12 m² of surface. Space Spray: Spray into the air for 2-3 seconds to treat

an average sized room (30 cm3)

Users must comply in full with all their responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

READ ALL PRECAUTIONS BEFORE USE, (HSE 8399)

PCS No: 95376

To avoid risks to man and the environment, comply with the instructions for use.

- ★ Wear suitable protective clothing and gloves.
- Do not breathe spray mist
- ★ Do not contaminate foodstuffs, eating utensils or food contact surfaces
- ★ This material and its container must be disposed of in a safe way.
- Keep away from treated surfaces until dry.
- ★ Do not empty into drains
- ★ Cover all water storage tanks before application. * Remove or cover all fish tanks and bowls before
- application ★ Do not contaminate ground, water bodies or watercourses with chemicals or used container.
- ★ All bats are protected under the Wildlife and Countryside Act 1981. Before treating any structure used by bats, consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales.
- For Ireland: all bats are protected under Schedule 5 of the Wildlife Acts (1976 and 2000). Before treating any structure used by bats, consult the National Parks and Wildlife Service.
- Do not apply directly to animals.
- * Hazardous to bees.

FOR USE ONLY BY PROFESSIONAL OPERATORS. The following additional precautions apply:

- ★ The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.
- Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.
- ★ Wear suitable protective clothing, suitable gloves and eye/face protection.
- ★ Avoid excessive contamination of coveralls and launder regularly.
- * However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
- ★ Do not apply directly to livestock and poultry. Exclude all persons and animals during treatment.
- Read all precautions before use.
- Collect eggs and remove feed, exposed water and milk before application.

TOXIC TO AQUATIC ORGANISMS. MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.



Agrothrin

STATUTORY CONDITIONS RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE

Application rate: apply a thin coating surfaces. Repeat as necessary

Users must comply in full with all their responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

READ ALL PRECAUTIONS BEFORE USE. (HSE 4811)

To avoid risks to man and the environment, comply with the instructions for use.

- * Wash hands and exposed skin, before meals and after use
- Keep only in original container.
- Keep container tightly closed. Remove excess dust from treated fabrics and air thoroughly before use.
- Do not breathe dust.
- Avoid contact with skin
- Do not contaminate foodstuffs, eating utensils or food contact surfaces
- Cover all water storage tanks before application.
- This material and its container must be disposed of in a safe way.
- Do not apply directly to animals.
- Remove or cover all fish tanks and bowls before application.
- Do not contaminate ground, waterbodies or
- watercourses with chemical or used container.
- * Hazardous to bees.

TOXIC TO AQUATIC ORGANISMS.
MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.



See inside for full Instructions for Us



Manufactured by



Buckingham Place Church Road, Penn **Buckinghamshire UK HP10 8LN**

Tel 01494 816575 Fax 01494 816578

www.agropharm.co.uk

Midi Fortefog P Fumer

STATUTORY CONDITIONS RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE

FOR AMATEUR AND PROFESSIONAL USE. Application rate: Apply at a rate of one generator per:

400 m³ for flying insects 100 m³ for fleas and carpet moths; or 25 m³ for bedbugs, ants and cockroaches

Users must comply in full with all their responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of

READ ALL PRECAUTIONS REFORE USE (HSE 8577)

PCS No: 95373

To avoid risks to man and the environment, comply with the instructions for use.

- ★ Do not breathe smoke/fumes
- Do not contaminate foodstuffs, eating utensils or food contact surfaces
- This material and its container must be disposed of in a safe way.
- * Avoid contact with skin.
- Cover all water storage tanks before application. For indoor use only.
- Remove or cover all fish tanks and bowls before application.
- All bats are protected under the Wildlife and Countryside Act 1981. Before treating any structure used by bats, consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales.
- For Ireland: all bats are protected under Schedule 5 of the Wildlife Acts (1976 and 2000). Before treating any structure used by bats, consult the National Parks and Wildlife Service
- ★ Ventilate the treated area thoroughly when the smoke has cleared.
- * Exclude all persons and animals during treatment.
- * Hazardous to bees
- ★ Wash hands and exposed skin before meals and after use
- * Keep in a safe place.
- Keep out of the reach of children.
- ★ Keep away from food, drink and animal feedingstuffs.

FOR USE ONLY BY PROFESSIONAL OPERATORS. The following additional precautions apply:

- ★ Wear suitable gloves
- ★ Avoid excessive contamination of coveralls.
- Guidance on suitable respiratory protective equipment and eye protection is provided in HSE Booklet HS (G) 53: 'The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide

HARMFUL BY INHALATION AND IF SWALLOWED MAY CAUSE SENSITISATION BY SKIN CONTACT VERY TOXIC TO AQUATIC ORGANISMS. MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.





See individual product labels for

batch number, manufacture date

