



SAFETY DATA SHEET

Barclay Hurler

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Barclay Hurler

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses herbicide

1.3. Details of the supplier of the safety data sheet

Supplier

Barclay Chemicals Manufacturing Ltd.
Damastown Industrial Park
Damastown Way
Mulhuddart
Dublin 15
+353 1 811 29 00
info@barclay.ie
+353 1 822 46 78

Manufacturer

Barclay Chemicals Manufacturing Ltd.
Damastown Industrial Park
Damastown Way
Mulhuddart
Dublin 15
+353 1 811 29 00
info@barclay.ie
+353 1 822 46 78

1.4. Emergency telephone number

Emergency telephone +353 86 385 77 69

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335, H336 Asp. Tox. 1 - H304

Environmental hazards Aquatic Chronic 1 - H410

2.2. Label elements

Pictogram



Barclay Hurler

Signal word	Danger
Hazard statements	<p>H226 Flammable liquid and vapour.</p> <p>H304 May be fatal if swallowed and enters airways.</p> <p>H315 Causes skin irritation.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H319 Causes serious eye irritation.</p> <p>H335 May cause respiratory irritation.</p> <p>H336 May cause drowsiness or dizziness.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P261 Avoid breathing vapour/ spray.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P233 Keep container tightly closed.</p> <p>P240 Ground/ bond container and receiving equipment.</p> <p>P241 Use explosion-proof electrical/ ventilating /lighting/.../ equipment.</p> <p>P242 Use only non-sparking tools.</p> <p>P243 Take precautionary measures against static discharge.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.</p> <p>P370+P380 In case of fire: Evacuate area.</p> <p>P391 Collect spillage.</p> <p>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P331 Do NOT induce vomiting.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
Supplemental label information	EUH401 To avoid risks to human health and the environment, comply with the instructions for use.
Contains	Hydrocarbons, C9, Aromatic

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Barclay Hurler

Hydrocarbons, C9, Aromatic		60-100%
CAS number: —	EC number: 918-668-5	
Classification Flam. Liq. 3 - H226 STOT SE 3 - H335, H336 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411		
fluroxypyr-meptyl (ISO)		10-30%
CAS number: 81406-37-3	EC number: 279-752-9	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts		1-5%
CAS number: 68953-96-8	EC number: 273-234-6	
Classification Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411		
butan-1-ol		<1%
CAS number: 71-36-3	EC number: 200-751-6	
Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335, H336		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Show this Safety Data Sheet to the medical personnel. Treat symptomatically.

Inhalation

Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. No special treatment required. Get medical attention if any discomfort continues.

Barclay Hurler

Ingestion	Get medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Keep affected person under observation. Do not induce vomiting unless under the direction of medical personnel. Show this Safety Data Sheet to the medical personnel.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Keep affected person under observation. Get medical attention. Show this Safety Data Sheet to the medical personnel.
Eye contact	Remove affected person from source of contamination. Get medical attention immediately. Remove any contact lenses and open eyelids wide apart. Rinse cautiously with water for several minutes. Keep affected person under observation. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information	See Section 11 for additional information on health hazards.
Inhalation	Coughing. Sore throat. Drowsiness, dizziness, disorientation, vertigo. Irritating to respiratory system.
Ingestion	May cause stomach pain or vomiting. Aspiration hazard if swallowed.
Skin contact	May cause skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation. Profuse watering of the eyes. Redness.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Flammable liquid and vapour.
Hazardous combustion products	None known.

5.3. Advice for firefighters

Protective actions during firefighting	Do not use water jet as an extinguisher, as this will spread the fire. Avoid breathing fire gases or vapours. Contain and collect extinguishing water. Fight fire from safe distance or protected location. If risk of water pollution occurs, notify appropriate authorities. Move containers from fire area if it can be done without risk.
Special protective equipment for firefighters	Use air-supplied respirator, gloves and protective goggles.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8. Keep unnecessary and unprotected personnel away from the spillage.
-----------------------------	--

6.2. Environmental precautions

Barclay Hurler

Environmental precautions Toxic to aquatic life with long lasting effects. Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material. Environmental Manager must be informed of all major spillages.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Contain spillage with sand, earth or other suitable non-combustible material. Collect spillage. Place waste in labelled, sealed containers. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid breathing vapour/spray. Do not empty into drains. Avoid contact with skin. Do not eat, drink or smoke when using this product. Protect from freezing and direct sunlight.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from food, drink and animal feeding stuffs. Keep only in the original container. Protect from freezing and direct sunlight.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

butan-1-ol

Short-term exposure limit (15-minute): WEL 50 ppm 154 mg/m³

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Avoid inhalation of vapours and spray/mists.

Eye/face protection

Tight-fitting safety glasses.

Hand protection

Wear protective gloves made of the following material: Nitrile rubber.

Hygiene measures

Do not eat, drink or smoke when using this product. Promptly remove any clothing that becomes wet or contaminated. Provide eyewash station. Wash hands thoroughly after handling.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

SECTION 9: Physical and Chemical Properties

Barclay Hurler

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Yellowish.
Odour	Hydrocarbons.
pH	pH (concentrated solution): 4.4 pH (diluted solution): 6.1 1%
Flash point	48°C / 118°F Method: CC (Closed cup).
Relative density	0.96 - 0.98 @ 20°C
Viscosity	2.88 mPa s @ 20°C 2.00 mPa s @ 40°C
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information	No information required.
-------------------	--------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None known.
------------------------------------	-------------

10.4. Conditions to avoid

Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid exposure to high temperatures or direct sunlight.
---------------------	---

10.5. Incompatible materials

Materials to avoid	Oxidising agents.
--------------------	-------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	No known hazardous decomposition products.
----------------------------------	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - dermal

ATE dermal (mg/kg)	45,861.99708151
--------------------	-----------------

Serious eye damage/irritation

Serious eye damage/irritation	Causes serious eye irritation.
-------------------------------	--------------------------------

Aspiration hazard

Aspiration hazard	May be fatal if swallowed and enters airways.
-------------------	---

Inhalation

Skin contact	Irritating to skin. May cause an allergic skin reaction.
--------------	--

Barclay Hurler

SECTION 12: Ecological Information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

12.1. Toxicity

Acute toxicity - fish LC₅₀, 96 hours: 31 mg/l, Algae

Acute toxicity - aquatic invertebrates LC₅₀, 48 hours: 10.9 mg/l, Daphnia magna

Acute toxicity - aquatic plants LC₅₀, 72 hours: 26.6 mg/l, Fish

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is miscible with water and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1993

UN No. (IMDG) 1993

UN No. (ICAO) 1993

UN No. (ADN) 1993

14.2. UN proper shipping name

Proper shipping name (ADR/RID) FLAMMABLE LIQUID, N.O.S. (CONTAINS Hydrocarbons, C9, Aromatic, fluroxypyr-meptyl (ISO))

Proper shipping name (IMDG) FLAMMABLE LIQUID, N.O.S. (CONTAINS Hydrocarbons, C9, Aromatic, fluroxypyr-meptyl (ISO), Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts)

Proper shipping name (ICAO) FLAMMABLE LIQUID, N.O.S. (CONTAINS Hydrocarbons, C9, Aromatic, fluroxypyr-meptyl (ISO))

Proper shipping name (ADN) FLAMMABLE LIQUID, N.O.S. (CONTAINS Hydrocarbons, C9, Aromatic, fluroxypyr-meptyl (ISO))

14.3. Transport hazard class(es)

ADR/RID class 3

Barclay Hurler

ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS	F-E, S-E
ADR transport category	3
Emergency Action Code	•3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
----------------	--

15.2. Chemical safety assessment

An Exposure Scenario has not been prepared as a CSR was not required for registration.

Barclay Hurler

SECTION 16: Other information

Revision date	10/07/2017
Revision	4
Supersedes date	10/07/2017
SDS number	4983
Hazard statements in full	<p>H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.