



## ALL CLEAR<sup>®</sup> EXTRA

Version 4.0 (replaces: Version 3.0)  
Revision Date 31.05.2014

Ref. 130000000547

This Safety Data Sheet adheres to the standards and regulatory requirements of Great Britain and may not meet the regulatory requirements in other countries.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : ALL CLEAR<sup>®</sup> EXTRA

Synonyms : C10060056

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaner for spraying equipment

#### 1.3. Details of the supplier of the safety data sheet

Company : Du Pont (UK) Limited  
Wedgwood Way  
Stevenage, Herts. SG1 4QN  
United Kingdom

Telephone : +44 (0) 1438 734 000

E-mail address : sds-support@che.dupont.com

#### 1.4. Emergency telephone number

Emergency telephone number : +44 (0) 8456 006 640

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Skin corrosion/irritation, Category 2 : H315: Causes skin irritation.

Serious eye damage/eye irritation, Category 2 : H319: Causes serious eye irritation.

Irritant : R36: Irritating to eyes.

#### 2.2. Label elements



Exclamation  
mark

Warning



## ALL CLEAR<sup>®</sup> EXTRA

Version 4.0 (replaces: Version 3.0)  
Revision Date 30.05.2014

Ref. 130000000547

H315 H319	Causes skin irritation. Causes serious eye irritation.
P280 P302 + P352 P305 + P351 + P338	Wear protective gloves/ protective clothing/ eye protection/ face protection. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).  
This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

not applicable

### 3.2. Mixtures

Registration number	Classification according to Directive 67/548/EEC	Classification according to Regulation (EU) 1272/2008 (CLP)	Concentration (% w/w)
---------------------	--	---	-----------------------

**Benzenesulfonic acid, mono-C10-16-alkyl derivs., compds. with ethanolamine (CAS-No.68910-32-7) (EC-No.272-734-1)**

			>= 15 - <= 20 %
--	--	--	-----------------

**Tetrasodium (1-hydroxyethylidene)bisphosphonate (CAS-No.3794-83-0) (EC-No.223-267-7)**

	Xi;R36/38	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - <= 5 %
--	-----------	---	---------------

**Alcohols, C12-15, ethoxylated (CAS-No.68131-39-5) (EC-No.500-195-7)**

	Xn;R22 Xi;R41 N;R50	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400	>= 1 - <= 5 %
--	---------------------------	---	---------------

The above products are REACH compliant; Registration number(s) may not be provided because substance(s) are exempted, not yet registered under REACH or are registered under another regulatory process (biocide uses, plant protection products), etc.

For the full text of the R-phrases mentioned in this Section, see Section 16.  
For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice	: Never give anything by mouth to an unconscious person. For specialist advice physicians should contact the National Poisons Information Service: Tel. 111 for England and Wales and Tel. 08454 24 24 24 for Scotland.
----------------	---



## ALL CLEAR<sup>®</sup> EXTRA

Version 4.0 (replaces: Version 3.0)  
Revision Date 30.05.2014

Ref. 130000000547

- Inhalation : Move to fresh air. Oxygen or artificial respiration if needed. Consult a physician after significant exposure.
- Skin contact : Wash off immediately with soap and plenty of water. Take off contaminated clothing and shoes immediately. In the case of skin irritation or allergic reactions see a physician. Wash contaminated clothing before re-use.
- Eye contact : If in eyes, rinse with water for 15 minutes. Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. Call a physician immediately.
- Ingestion : Rinse mouth. Do NOT induce vomiting. If conscious, drink plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms : Skin contact may provoke the following symptoms:, Irritation, Redness
- : Eye contact may provoke the following symptoms:, Pain, Redness, blurred vision, Excessive lachrymation
- : Ingestion may provoke the following symptoms:, Nausea, Stomach/intestinal disorders, Abdominal pain, Irritation, Redness
- : Inhalation may provoke the following symptoms:, Irritation, discomfort in the chest

### 4.3. Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Keep containers and surroundings cool with water spray.

- Extinguishing media which shall not be used for safety reasons : High volume water jet, (contamination risk)

### 5.2. Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Burning produces noxious and toxic fumes. Hazardous decomposition products formed under fire conditions. Carbon dioxide (CO<sub>2</sub>) nitrogen oxides

### 5.3. Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.

- Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.



## ALL CLEAR<sup>®</sup> EXTRA

Version 4.0 (replaces: Version 3.0)  
Revision Date 30.05.2014

Ref. 130000000547

: (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers / tanks with water spray.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Control access to area. Evacuate personnel to safe areas. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.

#### 6.2. Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so. Use appropriate container to avoid environmental contamination. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Clean-up methods - small spillage Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal. Use approved industrial vacuum cleaner for removal.  
Clean-up methods - large spillage Prevent further leakage or spillage. Large spills should be collected mechanically (remove by pumping) for disposal. Collect leaking liquid in sealable (metal/plastic) containers.

Other information : Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

#### 6.4. Reference to other sections

For personal protection see section 8., For disposal instructions see section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling : Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For personal protection see section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep containers tightly closed in a cool, well-ventilated place. Store at room temperature in the original container. Store in a place accessible by authorized persons only. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

Other data : Stable under recommended storage conditions.

#### 7.3. Specific end use(s)



**ALL CLEAR<sup>®</sup> EXTRA**

Version 4.0 (replaces: Version 3.0)  
Revision Date 30.05.2014

Ref. 130000000547

no data available

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

If sub-section is empty then no values are applicable.

**Components with workplace control parameters**

Type Form of exposure	Control parameters	Update	Basis	Remarks
--------------------------	-----------------------	--------	-------	---------

**2-Aminoethanol (CAS-No. 141-43-5)**

TWA	2.5 mg/m <sup>3</sup> 1 ppm	2007	EH40 WEL	
STEL	7.6 mg/m <sup>3</sup> 3 ppm	2007	EH40 WEL	
SKIN_DES		2007	EH40 WEL	Can be absorbed through skin.
SKIN_DES		12 2009	EU ELV	Can be absorbed through skin.
STEL	7.6 mg/m <sup>3</sup> 3 ppm	12 2009	EU ELV	Indicative
TWA	2.5 mg/m <sup>3</sup> 1 ppm	12 2009	EU ELV	Indicative

**8.2. Exposure controls**

- Engineering measures : Ensure adequate ventilation, especially in confined areas.
- Eye protection : Safety glasses with side-shields conforming to EN166 Ensure that eyewash stations and safety showers are close to the workstation location.
- Hand protection : Material: Nitrile rubber  
Glove thickness: 0.4 - 0.7 mm  
Glove length: Gauntlets of 35 cm long or longer.  
Protection index: Class 6  
Wearing time: 480 min  
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Before removing gloves clean them with soap and water. Gloves must be inspected prior to use.
- Skin and body protection : Manufacturing and processing work: Full protective clothing Type 6 (EN 13034)  
Mixer and loaders must wear: Full protective clothing Type 6 (EN 13034) Nitrile



## ALL CLEAR<sup>®</sup> EXTRA

Version 4.0 (replaces: Version 3.0)  
Revision Date 30.05.2014

Ref. 130000000547

rubber boots (EN 13832-3 / EN ISO 20345).

Field and greenhouse application: Tractor / sprayer with hood: No personal body protection normally required.

Tractor / sprayer without hood: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Mechanical automatized spray application in closed tunnel: No personal body protection normally required.

- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Only protected handlers may be in the area during application.
- Hygiene measures : Regular cleaning of equipment, work area and clothing. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. For environmental protection remove and wash all contaminated protective equipment before re-use. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapour. Handle in accordance with good industrial hygiene and safety practice. Contaminated work clothing should not be allowed out of the workplace.
- Respiratory protection : Manufacturing and processing work: Half mask with vapour filter A1 (EN 141)
- Mixer and loaders must wear: Half mask with vapour filter A1 (EN 141)
- Field and greenhouse application: Tractor / sprayer with hood: No personal body protection normally required during the application. However, gloves and a long sleeved shirt shall be worn when handling the treated plants after the application.
- Tractor / sprayer without hood: Half mask with a particle filter P1 (EN 143).
- Mechanical automatized spray application in closed tunnel: No personal respiratory protective equipment normally required.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- Form : liquid
- Colour : yellow
- Odour : characteristic
- Odour Threshold : not determined
- pH : ca. 10.5 - 11.4
- ||Melting point/range : ca. -5 °C
- ||Boiling point/boiling range : ca. 100 °C



## ALL CLEAR<sup>®</sup> EXTRA

Version 4.0 (replaces: Version 3.0)  
Revision Date 30.05.2014

Ref. 130000000547

Flash point	: no data available
Auto-ignition temperature	: Not available for this mixture.
Oxidizing properties	: The product is not oxidizing.
Lower explosion limit/ lower flammability limit	: not determined
Upper explosion limit/ upper flammability limit	: not determined
Vapour pressure	: no data available
Relative density	: ca. 1.040
Solubility/qualitative	: completely soluble
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not available for this mixture.
Viscosity, kinematic	: not determined
Evaporation rate	: no data available

### 9.2. Other information

Phys.-chem./other information : No other data to be specially mentioned.

## SECTION 10: Stability and reactivity

10.1. Reactivity	: Stable under recommended storage conditions.
10.2. Chemical stability	: The product is chemically stable under recommended conditions of storage, use and temperature.
10.3. Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use. No decomposition if stored and applied as directed.
10.4. Conditions to avoid	: Heat. Flame
10.5. Incompatible materials	: Strong oxidizing agents Strong acids
10.6. Hazardous decomposition products	: No materials to be especially mentioned.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute oral toxicity



## ALL CLEAR<sup>®</sup> EXTRA

Version 4.0 (replaces: Version 3.0)  
Revision Date 30.05.2014

Ref. 130000000547

LD50 / rat : > 2,000 mg/kg  
(Data on the product itself)

### Acute dermal toxicity

- Tetrasodium (1-hydroxyethylidene)bisphosphonate  
LD50 / animals (unspecified species) : > 2,300 mg/kg

### Skin irritation

Irritating to skin and mucous membranes

### Human experience

Excessive exposures may affect human health, as follows:

Inhalation  
*Respiratory system:* Irritation

Ingestion  
*Gastrointestinal tract:* Irritation, Nausea

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Toxicity to fish

This product has no known ecotoxicological effects.

#### Toxicity to aquatic plants

This product has no known ecotoxicological effects.

#### Toxicity to aquatic invertebrates

This product has no known ecotoxicological effects.

### 12.2. Persistence and degradability

#### Biodegradability

Readily biodegradable.

### 12.3. Bioaccumulative potential

#### Bioaccumulation

Does not bioaccumulate.

### 12.4. Mobility in soil

#### Mobility in soil



## ALL CLEAR<sup>®</sup> EXTRA

Version 4.0 (replaces: Version 3.0)  
Revision Date 30.05.2014

Ref. 130000000547

Under actual use conditions the product has a low potential of mobility in soil.

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). / This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6. Other adverse effects

#### Additional ecological information

This product has no known ecotoxicological effects.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

- Product : Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container.
- Contaminated packaging : Do not re-use empty containers. If recycling is not practicable, dispose of in compliance with local regulations.

## SECTION 14: Transport information

### ADR

- 14.1. UN number: not applicable  
14.2. UN proper shipping name: not applicable  
14.3. Transport hazard class(es): not applicable  
14.4. Packing group: not applicable  
14.5. Environmental hazards: none  
14.6. Special precautions for user:  
Not classified as dangerous in the meaning of transport regulations.

### IATA\_C

- 14.1. UN number: not applicable  
14.2. UN proper shipping name: not applicable  
14.3. Transport hazard class(es): not applicable  
14.4. Packing group: not applicable  
14.5. Environmental hazards: none  
14.6. Special precautions for user:  
Not classified as dangerous in the meaning of transport regulations.

### IMDG

- 14.1. UN number: not applicable  
14.2. UN proper shipping name: not applicable  
14.3. Transport hazard class(es): not applicable  
14.4. Packing group: not applicable  
14.5. Environmental hazards: none  
14.6. Special precautions for user:  
Not classified as dangerous in the meaning of transport regulations.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable



## ALL CLEAR<sup>®</sup> EXTRA

Version 4.0 (replaces: Version 3.0)  
Revision Date 30.05.2014

Ref. 130000000547

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations : No specific information about other regulations/legislation to be mentioned.

#### 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture.

### SECTION 16: Other information

#### Text of R-phrases mentioned in Section 3

R22	Harmful if swallowed.
R36/38	Irritating to eyes and skin.
R41	Risk of serious damage to eyes.
R50	Very toxic to aquatic organisms.

#### Full text of H-Statements referred to under section 3.

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.

Other information professional use

#### Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-No.	Chemical Abstracts Service number
CLP	Classification, Labelling and Packaging
EbC50	Concentration at which 50% reduction of biomass is observed
EC50	Median effective concentration
EN	European Norm
EPA	Environmental Protection Agency
ErC50	Concentration at which a 50% inhibition of growth rate is observed
EyC50	Concentration at which 50 % inhibition of yield is observed
IATA_C	International Air Transport Association (Cargo)
IBC	International Bulk Chemical Code
ICAO	International Civil Aviation Organization
ISO	International Standard Organization
IMDG	International Maritime Dangerous Goods
LC50	Median Lethal Concentration
LD50	Median Lethal Dose
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest observable effect level
MARPOL	International Convention for the Prevention of Marine Pollution from Ships
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration



## ALL CLEAR<sup>®</sup> EXTRA

Version 4.0 (replaces: Version 3.0)  
Revision Date 30.05.2014

Ref. 130000000547

NOAEL	No observed adverse effect level
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
OPPTS	Office of Prevention, Pesticides and Toxic Substances
PBT	Persistent, Bioaccumulative and Toxic
STEL	Short term exposure limit
TWA	time weighted average
vPvB	very Persistent and very Bioaccumulative

### Further information

Take notice of the directions of use on the label.

<sup>®</sup> Registered trademark of E.I. du Pont de Nemours and Company

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.